

STANDARD POWER CABLES / HOSES

CK9, I7 GAS COOLED 1-2 PIECE POWER CABLES



LENGTH	STANDARD	SUPERFLEX
	1 PIECE CABLE	1 PIECE CABLE
12-1/2 ft. (3.8m)	57Y01R	57Y01RSF
25 ft. (7.6m)	57Y03R	57Y03RSF
LENGTH	2 PIECE CABLES	2 PIECE CABLES
12-1/2 ft. (3.8m)	57Y01-2	57Y01-2SF
25 ft. (7.6m)	57Y03-2	57Y03-2SF
LENGTH	WELD LEAD	
12-1/2 ft. (3.8m)	1512CN	
25 ft. (7.6m)	1525CN	
LENGTH	ARGON HOSE	ARGON HOSE
12-1/2 ft. (3.8m)	45V09	45V09SF
25 ft. (7.6m)	45V10	45V10SF

CK24 GAS COOLED 1-2 PIECE POWER CABLES




LENGTH	STANDARD	SUPERFLEX
	1 PIECE CABLE	1 PIECE CABLE
12-1/2 ft. (3.8m)	56Y38R	56Y38RSF
25 ft. (7.6m)	56Y97R	56Y97RSF
LENGTH	2 PIECE CABLES	2 PIECE CABLES
12-1/2 ft. (3.8m)	56Y38-2	56Y38-2SF
25 ft. (7.6m)	56Y97-2	56Y97-2SF
LENGTH	WELD LEAD	
12-1/2 ft. (3.8m)	112CN	
25 ft. (7.6m)	125CN	
LENGTH	ARGON HOSE	ARGON HOSE
12-1/2 ft. (3.8m)	45V09	45V09SF
25 ft. (7.6m)	45V10	45V10SF

CK26, TL26 GAS COOLED 1-2 PIECE POWER CABLES



LENGTH	STANDARD	SUPERFLEX
	1 PIECE CABLE	1 PIECE CABLE
12-1/2 ft. (3.8m)	46V28R	46V28RSF
25 ft. (7.6m)	46V30R	46V30RSF
LENGTH	2 PIECE CABLES	2 PIECE CABLES
12-1/2 ft. (3.8m)	46V28-2	46V28-2SF
25 ft. (7.6m)	46V30-2	46V30-2SF
LENGTH	WELD LEAD	
12-1/2 ft. (3.8m)	412CN	
25 ft. (7.6m)	425CN	
LENGTH	ARGON HOSE	ARGON HOSE
12-1/2 ft. (3.8m)	40V75	40V75SF
25 ft. (7.6m)	41V30	41V30SF

CK18 WATER COOLED POWER CABLES



LENGTH	STANDARD	SUPERFLEX
	POWER CABLE	POWER CABLE
12-1/2 ft. (3.8m)	40V64	40V64SF
25 ft. (7.6m)	41V29	41V29SF
LENGTH	WATER HOSE	WATER HOSE
12-1/2 ft. (3.8m)	40V74	40V74SF
25 ft. (7.6m)	41V32	41V32SF
LENGTH	ARGON HOSE	ARGON HOSE
12-1/2 ft. (3.8m)	40V75	40V75SF
25 ft. (7.6m)	41V30	41V30SF



Follow us: [You Tube](#)




[Back To Table of Contents](#)

[Online Parts Manual](#)

STANDARD POWER CABLES / HOSES

TL18 WATER COOLED POWER CABLES




LENGTH	STANDARD	SUPERFLEX
	POWER CABLE	POWER CABLE
12-1/2 ft. (3.8m)	2312PC	2312PCSF
25 ft. (7.6m)	2325PC	2325PCSF

LENGTH	WATER HOSE	WATER HOSE
12-1/2 ft. (3.8m)	45V07	45V07SF
25 ft. (7.6m)	45V08	45V08SF

LENGTH	ARGON HOSE	ARGON HOSE
12-1/2 ft. (3.8m)	45V09	45V09SF
25 ft. (7.6m)	45V10	45V10SF

CK20, 24W WATER COOLED POWER CABLES



LENGTH	STANDARD	SUPERFLEX
	POWER CABLE	POWER CABLE
12-1/2 ft. (3.8m)	45V03	45V03SF
25 ft. (7.6m)	45V04	45V04SF

LENGTH	WATER HOSE	WATER HOSE
12-1/2 ft. (3.8m)	45V07	45V07SF
25 ft. (7.6m)	45V08	45V08SF

LENGTH	ARGON HOSE	ARGON HOSE
12-1/2 ft. (3.8m)	45V09	45V09SF
25 ft. (7.6m)	45V10	45V10SF



MASTER TIG POWER CABLES / HOSES

CK80, 90, 100 GAS COOLED 1-2 PIECE POWER CABLES



LENGTH	STANDARD	SUPERFLEX
	1 PIECE CABLE	1 PIECE CABLE
12-1/2 ft. (3.8m)	112PCHF	112PCSF
25 ft. (7.6m)	125PCHF	125PCSF

LENGTH	2 PIECE CABLES	2 PIECE CABLES
12-1/2 ft. (3.8m)	112PCN	112PCNSF
25 ft. (7.6m)	125PCN	125PCNSF

LENGTH	WELD LEAD	
12-1/2 ft. (3.8m)	112CN	
25 ft. (7.6m)	125CN	

LENGTH	ARGON HOSE	ARGON HOSE
12-1/2 ft. (3.8m)	212AH	212AHSF
25 ft. (7.6m)	225AH	225AHSF

CK130, 150, CKM150 GAS COOLED 1-2 PIECE POWER



LENGTH	STANDARD	SUPERFLEX
	1 PIECE CABLE	1 PIECE CABLE
12-1/2 ft. (3.8m)	1512PCHF	1512PCSF
25 ft. (7.6m)	1525PCHF	1525PCSF

LENGTH	2 PIECE CABLES	2 PIECE CABLES
12-1/2 ft. (3.8m)	1512PCN	1512PCNSF
25 ft. (7.6m)	1525PCN	1525PCNSF

LENGTH	WELD LEAD	
12-1/2 ft. (3.8m)	1512CN	
25 ft. (7.6m)	1525CN	

LENGTH	ARGON HOSE	ARGON HOSE
12-1/2 ft. (3.8m)	212AH	212AHSF
25 ft. (7.6m)	225AH	225AHSF

Follow us: [YouTube](#)



[Back To Table of Contents](#)

[Online Parts Manual](#)

MASTER TIG POWER CABLES / HOSES

CKC150 GAS COOLED 1-2 PIECE POWER CABLES



LENGTH	STANDARD	SUPERFLEX
	12-1/2 ft. (3.8m)	1512PCCM
25 ft. (7.6m)	1525PCCM	1525PCCMSF
LENGTH	2 PIECE CABLES	2 PIECE CABLES
	12-1/2 ft. (3.8m)	1512PCNM
25 ft. (7.6m)	1525PCNM	1525PCNSFM
LENGTH	WELD LEAD	
12-1/2 ft. (3.8m)	1512CNM	
25 ft. (7.6m)	1525CNM	
LENGTH	ARGON HOSE	ARGON HOSE
	12-1/2 ft. (3.8m)	212AH
25 ft. (7.6m)	225AH	225AHSF

FL130, 150 GAS COOLED 1 PIECE POWER CABLES




LENGTH	STANDARD	SUPERFLEX
	12-1/2 ft. (3.8m)	1512PCHFM
25 ft. (7.6m)	1525PCHFM	1525PCSFM

CK210 TL210 CKM210 GAS COOLED 1-2 PIECE POWER



LENGTH	STANDARD	SUPERFLEX
	12-1/2 ft. (3.8m)	412PCHF
25 ft. (7.6m)	425PCHF	425PCSF
LENGTH	2 PIECE CABLE	2 PIECE CABLE
	12-1/2 ft. (3.8m)	412PCN
25 ft. (7.6m)	425PCN	425PCNSF
LENGTH	POWER CABLE	
12-1/2 ft. (3.8m)	412CN	
25 ft. (7.6m)	425CN	
LENGTH	ARGON HOSE	ARGON HOSE
	12-1/2 ft. (3.8m)	312AH
25 ft. (7.6m)	325AH	325AHSF

CK180, 200, CKT200, CKM200 WATER COOLED



LENGTH	STANDARD	SUPERFLEX
	12-1/2 ft. (3.8m)	212TF
25 ft. (7.6m)	225TF	225SF
LENGTH	POWER CABLE	POWER CABLE
	12-1/2 ft. (3.8m)	212PC
25 ft. (7.6m)	225PC	225PCSF
LENGTH	ARGON HOSE	ARGON HOSE
	12-1/2 ft. (3.8m)	212AH
25 ft. (7.6m)	225AH	225AHSF
LENGTH	WATER HOSE	WATER HOSE
	12-1/2 ft. (3.8m)	212WH
25 ft. (7.6m)	225WH	225WHSF



Follow us: You Tube



[Back To Table of Contents](#)

[Online Parts Manual](#)

MASTER TIG POWER CABLES / HOSES

CK230, TL300 WATER COOLED

STANDARD TRI-FLEX CABLES



SUPERFLEX POWER CABLE



*Replacement SuperFlex power cables for the CK230 and TL300 are the 312SF and 325SF


LENGTH	STANDARD	SUPERFLEX
	TRI-FLEX CABLES	3 PIECE ASSEMBLY
12-1/2 ft. (3.8m)	2312TF	2312SF
25 ft. (7.6m)	2325TF	2325SF
LENGTH	POWER CABLE	POWER CABLE
12-1/2 ft. (3.8m)	2312PC	2312PCSF
25 ft. (7.6m)	2325PC	2325PCSF
LENGTH	ARGON HOSE	ARGON HOSE
12-1/2 ft. (3.8m)	212AH	212AHSF
25 ft. (7.6m)	225AH	225AHSF
LENGTH	WATER HOSE	WATER HOSE
12-1/2 ft. (3.8m)	212WH	212WHSF
25 ft. (7.6m)	225WH	225WHSF

FL230, 250 WATER COOLED

STANDARD TRI-FLEX CABLES



SUPERFLEX POWER CABLE




LENGTH	STANDARD	SUPERFLEX
	TRI-FLEX CABLES	3 PIECE ASSEMBLY
12-1/2 ft. (3.8m)	212TF	212SF
25 ft. (7.6m)	225TF	225SF
LENGTH	POWER CABLE	POWER CABLE
12-1/2 ft. (3.8m)	212PC	212PCSF
25 ft. (7.6m)	225PC	225PCSF
LENGTH	ARGON HOSE	ARGON HOSE
12-1/2 ft. (3.8m)	212AH	212AHSF
25 ft. (7.6m)	225AH	225AHSF
LENGTH	WATER HOSE	WATER HOSE
12-1/2 ft. (3.8m)	212WH	212WHSF
25 ft. (7.6m)	225WH	225WHSF

CK300 WATER COOLED

STANDARD TRI-FLEX CABLES



SUPERFLEX POWER CABLE



LENGTH	STANDARD	SUPERFLEX
	TRI-FLEX CABLES	3 PIECE ASSEMBLY
12-1/2 ft. (3.8m)	312TF	312SF
25 ft. (7.6m)	325TF	325SF
LENGTH	POWER CABLE	POWER CABLE
12-1/2 ft. (3.8m)	312PC	312PCSF
25 ft. (7.6m)	325PC	325PCSF
LENGTH	ARGON HOSE	ARGON HOSE
12-1/2 ft. (3.8m)	312AH	312AHSF
25 ft. (7.6m)	325AH	325AHSF
LENGTH	WATER HOSE	WATER HOSE
12-1/2 ft. (3.8m)	312WH	312WHSF
25 ft. (7.6m)	325WH	325WHSF

CK350, 510 WATER COOLED

STANDARD POWER CABLE



SUPERFLEX POWER CABLE




LENGTH	STANDARD	SUPERFLEX
	POWER CABLE	POWER CABLE
12-1/2 ft. (3.8m)	512PC	512PCSF
25 ft. (7.6m)	525PC	525PCSF
LENGTH	ARGON HOSE	ARGON HOSE
12-1/2 ft. (3.8m)	312AH	312AHSF
25 ft. (7.6m)	325AH	325AHSF
LENGTH	WATER HOSE	WATER HOSE
12-1/2 ft. (3.8m)	312WH	312WHSF
25 ft. (7.6m)	325WH	325WHSF

AIRCO POWER CABLES / HOSES

CKA10 GAS COOLED 1 PIECE POWER CABLES

1 PIECE STANDARD POWER CABLE



1 PIECE SUPERFLEX POWER CABLE



LENGTH	STANDARD	SUPERFLEX
	1 PIECE CABLE	1 PIECE CABLE
12-1/2 ft. (3.8m)	A2PC10	A2PC10SF
25 ft. (7.6m)	A5PC10	A5PC10SF

CKA16 GAS COOLED 1-2 PIECE POWER CABLES

1 PIECE STANDARD POWER CABLE



5/8"-18 RH

5/8"-18 RH

1 PIECE SUPERFLEX POWER CABLE



5/8"-18 RH

5/8"-18 RH

2 PIECE STANDARD POWER CABLE



5/8"-18 RH

5/8"-18 RH

2 PIECE SUPERFLEX POWER CABLE



5/8"-18 RH

5/8"-18 RH

WELD LEAD

LENGTH	STANDARD	SUPERFLEX
	1 PIECE CABLE	1 PIECE CABLE
12-1/2 ft. (3.8m)	412PCHF	412PCSF
25 ft. (7.6m)	425PCHF	425PCSF

LENGTH	2 PIECE CABLES	2 PIECE CABLES
	12-1/2 ft. (3.8m)	412PCN
25 ft. (7.6m)	425PCN	425PCNSF

LENGTH	WELD LEAD	
	12-1/2 ft. (3.8m)	412CN
25 ft. (7.6m)	425CN	

LENGTH	ARGON HOSE	ARGON HOSE
	12-1/2 ft. (3.8m)	312AH
25 ft. (7.6m)	325AH	325AHSF

CKA20 WATER COOLED TRI-FLEX POWER CABLES

STANDARD TRI-FLEX CABLES



POWER CABLE

ARGON HOSE

5/8"-18 RH

STANDARD POWER CABLE



WATER HOSE

5/8"-18 LH

SUPERFLEX POWER CABLE



WATER HOSE

5/8"-18 LH

ARGON HOSE

5/8"-18 RH

LENGTH	STANDARD	SUPERFLEX
	TRI-FLEX CABLES	
12-1/2 ft. (3.8m)	A2TF20	
25 ft. (7.6m)	A5TF20	


LENGTH	POWER CABLE	POWER CABLE
	12-1/2 ft. (3.8m)	A2PC20
25 ft. (7.6m)	A5PC20	A5PC20SF

LENGTH	ARGON HOSE	ARGON HOSE
	12-1/2 ft. (3.8m)	212AH
25 ft. (7.6m)	225AH	225AHSF

LENGTH	WATER HOSE	WATER HOSE
	12-1/2 ft. (3.8m)	212WH
25 ft. (7.6m)	225WH	225WHSF

CKA35 WATER COOLED TRI-FLEX POWER CABLES

STANDARD TRI-FLEX CABLES



POWER CABLE

ARGON HOSE

5/8"-18 RH

5/8"-18 LH

STANDARD POWER CABLE



WATER HOSE

5/8"-18 LH

5/8"-18 LH

SUPERFLEX POWER CABLE



5/8"-18 RH

WATER HOSE

5/8"-18 LH

ARGON HOSE

5/8"-18 RH

LENGTH	STANDARD	SUPERFLEX
	TRI-FLEX CABLES	
12-1/2 ft. (3.8m)	A2TF35	
25 ft. (7.6m)	A5TF35	

LENGTH	POWER CABLE	POWER CABLE
	12-1/2 ft. (3.8m)	A2PC35
25 ft. (7.6m)	A5PC35	A5PC35SF

LENGTH	ARGON HOSE	ARGON HOSE
	12-1/2 ft. (3.8m)	312AH
25 ft. (7.6m)	325AH	325AHSF

LENGTH	WATER HOSE	WATER HOSE
	12-1/2 ft. (3.8m)	312WH
25 ft. (7.6m)	325WH	325WHSF

MACHINE TORCH POWER CABLES / HOSES

MT100 GAS COOLED 1 PIECE POWER CABLES

1 PIECE STANDARD POWER CABLE



5/8"-18 RH

1 PIECE SUPERFLEX POWER CABLE



5/8"-18 RH

LENGTH	STANDARD	SUPERFLEX
	1 PIECE CABLE	1 PIECE CABLE
12-1/2 ft. (3.8m)	M112PC	M112PCSF
25 ft. (7.6m)	M125PC	M125PCSF



Follow us: You Tube



[Back To Table of Contents](#)

[Online Parts Manual](#)

MACHINE TORCH POWER CABLES / HOSES

MT200 WATER COOLED 1 PIECE POWER CABLES

1 PIECE STANDARD POWER CABLE



5/8"-18 LH

1 PIECE SUPERFLEX POWER CABLE



5/8"-18 LH

ARGON HOSE

WATER HOSE


5/8"-18 RH

5/8"-18 LH

LENGTH	STANDARD	SUPERFLEX
	POWER CABLE	POWER CABLE
12-1/2 ft. (3.8m)	M212PC	M212PCSF
25 ft. (7.6m)	M225PC	M225PCSF
LENGTH	ARGON HOSE	ARGON HOSE
	POWER CABLE	POWER CABLE
12-1/2 ft. (3.8m)	212AH	212AHSF
25 ft. (7.6m)	225AH	225AHSF
LENGTH	WATER HOSE	WATER HOSE
	POWER CABLE	POWER CABLE
12-1/2 ft. (3.8m)	212WH	212WHSF
25 ft. (7.6m)	225WH	225WHSF

MT300 GAS COOLED POWER CABLES

1 PIECE STANDARD POWER CABLE



5/8"-18 LH

1 PIECE SUPERFLEX POWER CABLE



5/8"-18 LH


ARGON HOSE

5/8"-18 RH

LENGTH	STANDARD	SUPERFLEX
	POWER CABLE	POWER CABLE
12-1/2 ft. (3.8m)	M212PC	M212PCSF
25 ft. (7.6m)	M225PC	M225PCSF
LENGTH	ARGON HOSE	ARGON HOSE
	POWER CABLE	POWER CABLE
12-1/2 ft. (3.8m)	212AH	212AHSF
25 ft. (7.6m)	225AH	225AHSF

MT400 WATER COOLED POWER CABLES

1 PIECE STANDARD POWER CABLE



7/8"-14 LH

3/8"-24 RH

1 PIECE SUPERFLEX POWER CABLE



7/8"-14 LH

3/8"-24 RH

ARGON HOSE

5/8"-18 RH

WATER HOSE

5/8"-18 LH

LENGTH	STANDARD	SUPERFLEX
	POWER CABLE	POWER CABLE
12-1/2 ft. (3.8m)	M412PC-1	M412PCSF-1
25 ft. (7.6m)	M425PC-1	M425PCSF-1
LENGTH	ARGON HOSE	ARGON HOSE
	POWER CABLE	POWER CABLE
12-1/2 ft. (3.8m)	212AH	212AHSF
25 ft. (7.6m)	225AH	225AHSF
LENGTH	WATER HOSE	WATER HOSE
	POWER CABLE	POWER CABLE
12-1/2 ft. (3.8m)	212WH	212WHSF
25 ft. (7.6m)	225WH	225WHSF

MT500 WATER COOLED POWER CABLES

1 PIECE STANDARD POWER CABLE



7/8"-14 LH

1 PIECE SUPERFLEX POWER CABLE



7/8"-14 LH

ARGON HOSE

5/8"-18 RH

WATER HOSE

5/8"-18 LH


LENGTH	STANDARD	SUPERFLEX
	1 PIECE CABLE	1 PIECE CABLE
12-1/2 ft. (3.8m)	M512PC-1	M512PCSF-1
25 ft. (7.6m)	M525PC-1	M525PCSF-1
LENGTH	ARGON HOSE	ARGON HOSE
	POWER CABLE	POWER CABLE
12-1/2 ft. (3.8m)	212AH	212AHSF
25 ft. (7.6m)	225AH	225AHSF
LENGTH	WATER HOSE	WATER HOSE
	POWER CABLE	POWER CABLE
12-1/2 ft. (3.8m)	212WH	212WHSF
25 ft. (7.6m)	225WH	225WHSF

CKM230 WATER COOLED TRI-FLEX

STANDARD TRI-FLEX CABLES
POWER CABLE

ARGON HOSE

3/8"-24 LH



7/8"-14 LH

SUPERFLEX POWER CABLE

WATER HOSE

3/8"-24 LH



7/8"-14 LH

WATER HOSE

5/8"-18 LH

ARGON HOSE

5/8"-18 RH

LENGTH	STANDARD	SUPERFLEX
	TRI-FLEX CABLES	3 PIECE SUPERFLEX
12-1/2 ft. (3.8m)	2312TF	2312SF
25 ft. (7.6m)	2325TF	2325SF
LENGTH	POWER CABLE	POWER CABLE
	POWER CABLE	POWER CABLE
12-1/2 ft. (3.8m)	2312PC	2312PCSF
25 ft. (7.6m)	2325PC	2325PCSF
LENGTH	ARGON HOSE	ARGON HOSE
	POWER CABLE	POWER CABLE
12-1/2 ft. (3.8m)	212AH	212AHSF
25 ft. (7.6m)	225AH	225AHSF
LENGTH	WATER HOSE	WATER HOSE
	POWER CABLE	POWER CABLE
12-1/2 ft. (3.8m)	212WH	212WHSF
25 ft. (7.6m)	225WH	225WHSF

CKM350 WATER COOLED POWER CABLES

STANDARD POWER CABLE



7/8"-14 LH

3/8"-24 LH

SUPERFLEX POWER CABLE



7/8"-14 LH

3/8"-24 LH

WATER HOSE

5/8"-18 LH

ARGON HOSE

5/8"-18 RH

LENGTH	STANDARD	SUPERFLEX
	POWER CABLE	POWER CABLE
12-1/2 ft. (3.8m)	512PC	512PCSF
25 ft. (7.6m)	525PC	525PCSF
LENGTH	ARGON HOSE	ARGON HOSE
	POWER CABLE	POWER CABLE
12-1/2 ft. (3.8m)	312AH	312AHSF
25 ft. (7.6m)	325AH	325AHSF
LENGTH	WATER HOSE	WATER HOSE
	POWER CABLE	POWER CABLE
12-1/2 ft. (3.8m)	312WH	312WHSF
25 ft. (7.6m)	325WH	325WHSF

Follow us: [YouTube](#)



[Back To Table of Contents](#)

[Online Parts Manual](#)